

TRESTON



ERGONOMIC PACKING SOLUTIONS

COMPLETE SOLUTIONS FOR FASTER, MORE ACCURATE PACKING



Why invest in a packing bench?

Are you looking for an easy packing bench option or a packaging solution which can answer varying needs and is highly adjustable? Treston packing bench options can answer both these needs. In addition to benches, Treston can also offer matching carts, cabinets, lights, chairs and more to complete a fully functional workstation.

An ergonomic workstation, where everything is in its place, enables faster and more accurate packing, improves safety, makes it easier to switch between packing personnel and creates a clean and less-stressful atmosphere. Improved efficiency makes larger volumes and more revenue opportunities possible.

- ✓ Improve efficiency, accuracy and safety
- ✓ Make it easy to switch between packing personnel
- ✓ Create a clean and less-stressful environment, thus energizing packing personnel
- ✓ Enable larger volumes and more revenue opportunities




WATCH THIS ANIMATION showcasing the versatile usage options of our packing products: <https://youtu.be/NMnaZTpEmmc>

WHY CHOOSE TRESTON?

- ✓ **Functional quality**
- ✓ **Full service, expertise and experience**
- ✓ **Solutions for the entire environment**
- ✓ **Quick delivery**

For over 40 years, Treston has designed and manufactured high quality industrial furniture which is functional and efficient, tailor-made for the person performing the job. No matter if you choose an out-of-the-box solution or a tailor-made solution, the design always has ergonomics and efficiency aspects in mind.

Our skillful staff has worked with over 500,000 deliveries world-wide. Whether you need space planning, 5S integration, prototypes, installation or training services – we are here for you. With an unmatched track record of projects, no matter how big or small we can help you choose just the right solution for your needs.



Treston Concept bench

accommodates the most demanding needs

- ✓ For all packaging needs, no need for compromises!
- ✓ Wide variety of modules, options and variations
- ✓ Largest number of accessories on the market
- ✓ Sturdy, stable, high-quality

You can choose from various table top material options, sizes and lengths; manual, handcrank or motor bench frames; racks for holding bins, cutters, rolls, and more; an endless number of modules and accessories including cutters, tape dispensers, PC stands and more.

Whatever the variation you need, you can build it from Concept and its modular elements. Modules fit together seamlessly, giving you an opportunity to create a complete packaging solution, perfectly matching your needs. Building packaging combinations from varying, yet standard modules makes it possible to create an ergonomically well-functioning packaging solution which is also robust and economic. No need for costly extra modifications or compromises!



frame size W x D inches	Manual Order No	max load lbs	Handcrank Order No	max load lbs	Motor Order No	max load lbs dynamic/static
48 x 30	US-10049031P	1100	10149031	440	10549031	880/1100
48 x 36	10049063P	1100	10149063	440	10549063P	880/1100
60 x 30	US-10049032P	1100	10149032	440	10549032	880/1100
60 x 36	10049064P	1100	10149064	440	10549064P	880/1100
72 x 30	US-10049033P	1100	10149033	440	10549033	880/1100
72 x 36	10049065P	1100	10149065	440	10549065P	880/1100
96 x 30	14-10049435	1100			14-10349249	880/1100
96 x 36	14-1004968	1100			14-10349283	880/1100
Table height steplessly adjustable	26.62-44.34 inches*		26.82-40.60 inches*		27.80-43.55 inches*	

*Table height adjustment range includes 1" worksurface. Worksurfaces sold separately.



WATCH THIS ANIMATION showcasing the versatile usage options of our Concept Bench
<https://youtu.be/zHZXeJXFdE8>

Treston Cornerstone bench

the ideal heavy-duty 4-leg packing station

- ✓ Suitable for any packing environment, including e-commerce distribution, 3PL, ship-from-store and more
- ✓ Flexible to changing needs
- ✓ Ergonomically designed for worker comfort
- ✓ Reliable strength for tough working conditions

Treston's Cornerstone packing stations are the most durable packing bench on the market. Available in a variety of sizes and customizable with standard accessories, this bench is perfect for any packing environment.

Having an ergonomic packing bench in which everything has its own place makes packing faster, reduces errors, improves safety, facilitates staff shift changes, creates a neat and tidy space, and reduces stress. Improved efficiency increases volumes and profitability. Treston packing stations are truly **the smarter way to pack**.



Cornerstone bench frames (top sold separately)

Frame type	Size D x W x H inches	Max lbs	Order No
Cornerstone frame, 30" x 48"	27.56" x 47.24" x 24.72-37.64"	2000	CS712-49
Cornerstone frame, 30" x 60"	27.56" x 59.06" x 24.72-37.64"	2000	CS715-49
Cornerstone frame, 30" x 72"	27.56" x 70.87" x 24.72-37.64"	2000	CS718-49
Cornerstone frame, 30" x 96"	27.56" x 94.49" x 24.72-37.64"	2000	E827221-49
Cornerstone depth kit, 24"*			CSD60-49
Cornerstone depth kit, 36"*			CSD90-49

*Cornerstone depth kits should be ordered with a 30"D frame for 24" and 36"D tables



Bench tops and scale support

Treston's postformed laminate bench tops are suitable for both Concept and Cornerstone packing station frames. Frames and tops are sold separately. Worksurfaces can be ordered with or without scale support. Scale support includes a cut out in the work surface with an under-mounted scale well. The scale wells allow the scale to sit flush with the work surface height. Scale support dimensions and location depend on the user's needs and the scale used. Contact a Treston representative when ordering scale support for details on cut out dimensions and location.

Postformed laminate bench tops and scale support

frame size W x D inches	Bench Top Order No	Bench top with scale well and cut out for scale well (up to 20" x 20")*
48 x 24	14-9684103	14-C9774103
48 x 30	14-9684110	14-C9774110
48 x 36	14-9684117	14-C9774117
60 x 24	14-9684104	14-C9774104
60 x 30	14-9684111	14-C9774111
60 x 36	14-9684118	14-C9774118
72 x 24	14-9684105	14-C9774105
72 x 30	14-9684112	14-C9774112
72 x 36	14-9684119	14-C9774119
96 x 24	14-9684107	14-C9774107
96 x 30	14-9684114	14-C9774114
96 x 36	14-9684121	14-C9774121

Max scale well dimensions for 24"D work surface is 20" x 16". The dimensions of the scale well cut out is determined at the time of order and require drawing approval.



Additional work surface materials are available upon request. Ball transfers, integrated conveyors and slick surface materials are also available. Contact a Treston representative for ordering information.



Over-Conveyor Packing Stands

New to the Treston Packing product family is the over-conveyor style packing bench! Using Treston's standard basic upright frame paired with Packing accessories, Treston is able to provide storage and organization over the packaging line.

Benefits of Over-Conveyor Storage:

- ✓ Supports storage above and below the conveyor
- ✓ Maximizes floor space
- ✓ Ergonomic and adaptable to the changing needs of the worker
- ✓ Improves efficiency and speed of products to the customer
- ✓ Easy to buy, transport and assemble


Slotted upright frame can support any of Treston's standard accessories! Supports weight up to 600 lbs. Available in three standard widths: 36", 48" and 60".



Over Conveyor Packing Station Frames

Description	Order No
M36 Over Conveyor frame	14-C85049221
M48 Over Conveyor frame	14-C85049222
M60 Over Conveyor frame	14-C85049223

*Over Conveyor Packing Stations include: "L" legs and 2 spacer bars for support. Additional accessories are available on pages 9-13.



Uprights

Slotted uprights are the basic element for accessorizing a Treston packing station. Accessories are attached about the work surface with the aid of slotted uprights that are attached to the back of the table. Uprights can be added to create a single or double bay module. Double bays allow for more accessory options and locations.



Single Bay
M48/M60/M72



Double Bay
2M30/2M36

Slotted uprights are attached to the rear case of the Concept and Cornerstone bench frame. Uprights allow for easy attachment of accessories in 1" height adjustment steps. Uprights have slots on front and back of the upright for attachment of accessories above and behind the packing station.

Slotted upright tubes

Name	Length inches	Order No
Upright tube	53.5"	860024-49
Upright tube	62.28"	860025-49

For single bay, use two uprights. For double bay, use three uprights.

Upright modules - compatibility

frame width	Single bay (2 uprights)	Double bay (3 uprights)
48	M48	n/a
60	M60	2 x M30
72	M72	2 x M36
80	M48/M60/M72	2 x M30/2 x M36
96	M48/M60/M72	2 x M30/2 x M36


Example: 2M36 = two 36"W bays (double bay) for a total 72"W upright module




Packing Station Accessories



Name	Description	Size W x D x H inches	Suitability	Order No
1 Tiltable top shelf	Tiltable in 5 degree steps. Front lip included. Max load 176 lbs. Easily equipped with dividers for storage of cardboard boxes, envelopes, etc.	M30 x 11.81"	M30	TTSM7503-49
		M30 x 15.75"	M30	TTSM7504-49
		M36 x 11.81"	M36	TTSM9003-49
		M36 x 15.75"	M36	TTSM9004-49
		M48 x 11.81"	M48	TTSM12003-49
		M48 x 15.75"	M48	TTSM12004-49
		M60 x 11.81"	M60	TTSM15003-49
		M60 x 15.75"	M60	TTSM15004-49
		M72 x 11.81"	M72	TTSM18003-49
M72 x 15.75"	M72	TTSM18004-49		
Dividers for tiltable top shelves	Includes 4 pcs.	11.81" 15.75"		PDH300-49 PDH400-49
2 Packing material shelf	24" deep shelf for larger packing materials. Max load 132 lbs. Must order attachment brackets separately - SPMB5-49 or SPMH-49.	M30 x 23.62"	M30	SPM750-49
		M36 x 23.62"	M36	SPM900-49
		M48 x 23.62"	M48	SPM1200-49
		M60 x 23.62"	M60	SPM1500-49
		M72 x 23.62"	M72	SPM1800-49
3 SPM brackets for top shelf	Brackets for attaching packing material shelf to uprights. Set of 4 brackets/shelf. Must order shelf separately.		SPM shelves	SPMB5-49
4 SPM brackets for bottom shelf	For attachment to Concept accessory bar. Must order shelf separately.		Concept	SPMH-49
5 Dividers for SPM shelf	Fixed mounting locations. Set of 4 dividers.	24" d x 11" h	SPM shelves	PDH600-49
6 Steel shelf	Basic steel shelf for e.g. small cartons and big envelopes. Can also be tilted. Can be equipped with dividers. Max load 110 lbs.	29.13" x 11.81"	M30	836028-49
		29.13" x 15.75"	M30	852770-49
		35.04" x 11.81"	M36	852283-49
		35.04" x 15.75"	M36	852769-49
Steel divider pair	Steel plate divider pair for envelopes and small cartons. Fitted on steel shelf. Choose size according to the shelf depth.	11.22" x 7.48"		010004-49
		15.16" x 7.48"		010005-49
7 Document shelf	Handy steel document shelf (tilting 10-75°) for plastic bins, papers, small tools, etc. Max load 11 lbs.	28.35" x 10.43"	M30	860115-49
		34.25" x 10.43"	M36	860399-49
8 Lower steel shelf	Hangs on horizontal bars. Max load 66 lbs.	40.94" x 18.1"	Cornerstone	LSSCS120-49
		53.15" x 18.1"		LSSSC150-49
		64.96" x 18.1"		LSSCS180-49
		91.23" x 18.1"		E827221-49
Low M-divider hoops	4 pcs per set. M-shape (the lowest point 4.13" from shelf).	18.11" x 12.4"	LSS shelf	LDH




Name	Description	Size W x D x H inches	Suitability	Order No
9 Light and balancer rail	Lights are attached to light/balancer rails which are height and depth adjustable. Max load 33 lbs.	47.24"	M48	US-91849010P
		59.06"	M60/2xM30	US-91849006P
		70.87"	M72/2xM36	US-91849008P
Overhead Dual LED with shield	Consumes little energy and consequently has a long service life. Mount on light and balancer rail.	Width 22.44"		14-95035171
		Width 33.46"		14-95035172
		Width 44.48"		14-95035173
Magnetic Dual LED with shield	Magnetic dual LED with integrated shield for attachment under shelves	Width 22.44"		14-95035174
		Width 33.46"		14-95035175
		Width 44.48"		14-95035176
10 CC cable clip set	Set of 5 pcs. Suitable for slotted uprights.			CC5
11 Perforated panel	Attached to the upright tubes. The size of the perforation is .35", center to center 1.5". Can be equipped with panel hooks, boxes and trays.	28.27" x 15.32"	M30	861511-49
		34.29" x 15.32"	M36	861516-49
		47.25" x 15.32"	M48	861533-49
		58.03" x 15.32"	M60	861526-49
		69.84" x 15.32"	M72	861531-49
Hook Sets	Basic hook sets for hanging tools and materials on perforated panels.	20 pcs		855001-51
		45 pcs		855002-51
		69 pcs		855003-51
12 Utility box	Mount on perforated panel. Max load 8 lbs.	16.14" x 6.1" x 3.54"		854041-49
13 Tray R47	Mount on perforated panel. Max load 8 lbs.	13.78" x 4.72"		831654-49
14 Paper roll holder	Mount on perforated panel. Max roll width 11.81".			854043-49
15 Roll holder set	Roll holder set for uprights. Axle 1 inch zinc electroplated. Max load 88 lbs.	25" (max roll length)	M30	890547-49P
		30.91" (max roll length)	M36	890548-49P
		43.2" (max roll length)	M48	E827033-49
		55.12" (max roll length)	M60	859041-49P
		66.63" (max roll length)	M72	859042-49P
Paper roll dividers	Keeps the packing material rolls in place. Made from MDF. For axle Ø 1 inch. Includes 2 dividers and 2 spring locks.	Ø 6.69"		RD25
16 Roll holder under Cornerstone	Roll holder set for underneath Cornerstone bench. Roll holder mounts to H legs. Axle 1 inch zinc electroplated. Max load 88 lbs.	38.98"	Cornerstone	RHCS120-49
		50.79"		RHCS150-49
		62.59"		RHCS180-49
17 Bin rail	Bin rails store small parts within arm's reach. Tiltable. Pair with stacking bin sets or ASSA4 equipment shelf.	29.21" x 3.54"	M30	US-859151-49
		35.23" x 3.54"	M36	US-859152-49
		47.04" x 3.54"	M48	US-859157-49
		58.89" x 3.54"	M60	US-859154-49
		70.66" x 3.54"	M72	US-859155-49



Name	Description	Size W x D x H inches	Suitability	Order No
18 Auxiliary steel shelf	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin rail in tilted position. Max load 7 lbs.	8.54" x 11.73" x .79"		ASSA4
19 Basic label dispenser	Feeds labels from a roll, space for several rolls. Fits on ASSA4 or can be placed in a shelf or tray. Can be fixed with screws. Max roll Ø 8.66" and width 8.27".	8.43" x 5.04" x 4.72"		BLD20
20 Stacking bin set	Four bins made of blue polypropylene (PP).	2 pcs 9.06" x 6.1" x 5.51" 2 pcs 7.28" x 4.92" x 4.53"		SBS4
21 Horizontal power rail	Horizontal power/bin rail with 6 outlet power		M30 M36 M48 M60 M72	14-9114905 14-9114910 14-9114915 14-9114919 14-9114923
22 Table mounted cutting units	The round cutting knife will slice through paper and cardboard with ease. Can be attached to the bench top or alternatively to the upright profiles with attachment brackets PPCFB	58.46" x 5.12" x 7.87" 70.28" x 5.12" x 7.87"	M60 M72	PPC150 PPC180
23 Upright attachment brackets for cutters	Bracket for upright attachment of cutting units. Brackets make the cutter both height and tilt adjustable, tilt 30 degrees.		M60 M72	PPCFB
24 Document holder	Steel document holder fixed on upright tube. Easily adjustable with the double arm. Max load 11 lbs.	A4 paper size A3 paper size		92849008P 92849009P
25 Rotating tool panel	Rotating frame with double arm. Max load 33 lbs.	20.2" x 12.6"		880865-49P
25 Perforated panel for rotating tool panel		18.5" x 11.81"		860951-49
26 Tool trough M20 for rotating tool panel		18.5" x 5.91"		860952-49
26 Bin rail M20 for rotating tool panel	Aluminium bin rail for auxiliary steel shelf (ASSA4), stacking and picking bins.	19.13" x 2.17" x 2.95"		BP500C
27 Void fill arm*	Arm for attaching paper void fill machines above the worksurface. Max load 75 lbs. Shown above with X-Fill machine by Intertape. *Attachment brackets sold separately.	1.375" diameter 15.25" length	Concept / Cornerstone	14-94149393
Large arm clamp kit	Upright attachment bracket for void fill arm			853098-49

*Void fill arm can also attach to pallet racks using additional brackets. Please contact a Treston representative for more information.



Name	Description	Size W x D x H inches	Suitability	Order No
29 PC / folder box	Fitted to upright tube. Max load 11 lbs.	5.12" x 11.42" x 12.99"		860983-49
29 Roll holder for upright tube	For a small roll, e.g. plastic bag roll. Max roll Ø5.91", max length 11.81".	Ø3.9" x 11.81"		860841-49
30 Bottle holder	Steel bottle holder for upright tube.	Ø3.94"		859063-49
31 Auxiliary top, fixed brackets	Suitable for printer, boxes, etc. Mount on upright tube. Left and right side version. Max load 88 lbs.	15.75" x 16.69" 15.75" x 16.69"	Left side Right side	92641001P 92641002P
32 LCD holder with double arm	Max load 33 lbs.			US-93049002P
32 Keyboard tray for LCD holder	Max load 11 lbs.	18.9" x 10.24"		860941-49
33 Thin Client PC holder	Holder for Thin Client PC. Fixed behind keyboard tray.			TCH
34 Printer platform slideable	Printer shelf with sliding platform for easy replacement of the label roll. Mount on upright tube. Max load 66 lbs.	12.4" x 20.87"		859060-49
35 CPU / printer holder, bar clamp	Brackets for CPU, printer, etc. Fixed on accessory bar of bench. Max load 44 lbs.	>5.91" x 16.69" x 3.35"	Concept	860551-49
36 CPU / printer holder, leg mount	Brackets for CPU, printer, etc. Fixed on leg of bench. Max load 44 lbs.	3.94-9.49" x 17.7" x 2"	Cornerstone/OC Manual/Crank Motor	860553-49 860552-49 860740-49
37 Laptop/printer shelf with arm	Tray with double arm for laptop, printer, etc. Edge height .59". Max load 55 lbs.	14.37" x 14.37"		93049001P



Name	Description	Size W x D x H inches	Suitability	Order No
38 Vertical power rail	6-outlet vertical power rail with clamp			14-9114928
39 Tool tray	Guarantees a clean packing space, while tools are close at hand. Fitted under worktop.	39.37" x 2.36"	Concept / Cornerstone	PTH100
40 Lower paper roll holder	Epoxy powder-coated steel RAL7035. Simply hangs on horizontal bars of legs. Depth adjustable. Axle diameter 1 inch. Max roll width 64.96". Max load 88 lbs.	Axle Ø 1"	Cornerstone	PRHL ROLL180
41 Roll holder set under worktop	Steel tube (Ø 1 inch) for storage of packing material. Comes with fixing brackets. Max roll length 48.98"/47.24"/59.06". Max. load 88 lbs.	45.68" 59.06" 70.87"	Concept	14-94041253 859044-49P 859045-49P
42 Drawer unit 30/15	Mount on benches with bracket. Must order brackets separately.	11.8" x 17.2" x 5.9"	Concept / Cornerstone	859330-49
Drawer attachment bracket	Hardware for attaching drawer unit 30/15 to the packing bench.		Manual / Crank Motor M48 Cornerstone M60 Cornerstone M72 Cornerstone	890653-49 854463-49 CSDB120-49 CSDB150-49 CSDB180-49
43 Pull-out recycling material bin	Fixed under worktop with steel rails. Bin 60 ltr. Max load 33 lbs.	11.26" x 22.44" x 25.59"	Concept / Cornerstone	PRMB3
44 Pull-out steel shelf for printer	Mounting under the bench top. Free space for printer 15.75" x 19.69" x 16.34". Pull-out extent 19.69". Max load 77 lbs.	19.69" x 20.08" x 20.28"	Concept / Cornerstone	PSP50
45 Casters	For creating a mobile packing station	3.94" diameter	Concept / Cornerstone	834734-00



Design your packing station with the
**Treston 3D Configurator
 Design Tool!**

3d.treston.us



Storage Bin Sets

Stacking bins

Our stacking bins have been designed for daily use in stores, production facilities and warehouses. These bins have been designed to fit all standard shelves, paternosters and industrial workstations. Bins of the same width stack securely, even if they are of different lengths. Straight sides ensure an efficient use of space.

Stacking bin sets

Description	Order No
4 Stacking bins, blue (6.5" x 4.13" x 2.95")	SBS4-1015-6
4 stacking bins, blue (2) 1525-6 (9.84"x5.87"x5.12") (2) 1520-6 (7.56"x5.87"x4.13")	SBS4-2
4 ESD Stacking bins, black (6.5" x 4.13" x 2.95")	SBS4-1015-4ESD
4 ESD stacking bins, black (2) 1525-4ESD (9.84"x5.87"x5.12") (2) 1520-4ESD (7.56"x5.87"x4.13")	SBS4-2ESD

*Order No includes 4 bins. Individual bins available with standard delivery time.

Stacking bins on the bin rail

Bin rail	M30	M36	M48	M60	M72
1015	7	8	11	14	17
1520	5	6	8	10	12
1525	5	6	8	10	12



Shelf bins

Shelf bins are designed to fit all standard shelves, cabinets and industrial workstations. Bins of the same width stack securely, even if they are of different lengths. Straight sides ensure an efficient use of space, and the bins are available in several bright colors to facilitate product identification. Each drawer comes with a label and protective cover.

Shelf bin sets

Description	Order No
6 Shelf bins, blue (11.81" x 3.62" x 3.23")	SBS6-3010-6
6 Shelf bins, blue (11.81" x 5.20" x 3.94")	SBS6-3015-6
6 Shelf bins, blue (11.81" x 7.32" x 3.23")	SBS6-3020-6
6 ESD Shelf bins, black (11.81" x 3.62" x 3.23")	SBS6-3010-4ESD
6 ESD Shelf bins, black (11.81" x 5.20" x 3.94")	SBS6-3015-4ESD
6 ESD Shelf bins, black (11.81" x 7.32" x 3.23")	SBS6-3020-4ESD

*Order No includes 6 bins. Individual bins available with standard delivery time.



Download the Treston App

Available on Google Play and the App Store

Packing material roll stands

① High packing material roll stand

High stand for two rolls. The rolls are height adjustable. Axle diameter: 1 inch. Max roll Ø 31.5". Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 88 lbs per roll.

Size W x D x H inches	Module	Max roll width inches	Order No
60.24" x 28.15" x 59.06"	M60	55.12"	890521-49P
72.05" x 28.15" x 59.06"	M72	66.63"	890522-49P

② Low packing material roll stand

This stand is suitable for the use of one roll. The roll is adjustable in height. Axle diameter 1 inch. Max roll Ø 31.5". Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 88 lbs per roll.

Size W x D x H inches	Module	Max roll width inches	Order No
60.24" x 28.15" x 39.37"	M60	55.12"	859105-49P
72.05" x 28.15" x 39.37"	M72	66.63"	859108-49P

③ Caster set for packing material roll stands

4 swivel casters Ø 3.94", 2 with brakes. Attached directly to the stands.

Size inches	Order No
Ø 3.94"	834734-00

④ Extra roll holder set


Extra roll holder set for packing material roll stands. Including brackets. Rod diameter 1 inch, zinc electroplated. Max load 88 lbs.

Module	Max roll width inches	Order No
M60	55.12"	859041-49P
M72	66.63"	859042-49P

⑤ Cutter PPC

The round cutting knife will slice through paper and cardboard with ease. Can be attached to the bench top or alternatively to the upright profiles with attachment brackets PPCFB.

Size W x D x H inches	Module	Cutting width inches	Order No
58.46" x 5.12" x 7.87"	M60	49.21"	PPC150
70.28" x 5.12" x 7.87"	M72	61.02"	PPC180
Bracket pair required for attaching cutter to material roll stand			890511-49



Carts

Low carton cart LCT610

Cart for large cartons. Three dividers can be assembled crosswise or lengthwise. The fourth divider is a push handle.

Frame and shelf are of epoxy powder-coated steel in grey RAL 7035. Four swivel casters (Ø 3.94"), two of which have brakes. Shelf height above the ground 6.3".

Size W x D x H inches	Shelf size W x D inches	Order No
42.52" x 24.8" x 40.16"	39.37" x 24.8"	LCT610



High carton cart HCT410

Cart for packing cartons. Shelves are equipped with steplessly adjustable steel M-divider hoops. Larger hoop height 21.26", lowest point 12.99" above the shelf, smaller hoop height 12.4", lowest point 4.13" above the shelf.


Frame and individually height adjustable shelves are of epoxy powder-coated steel in grey RAL 7035. Four swivel casters (Ø 3.94"), two of which have brakes.

Size W x D x H inches	Shelf size W x D inches	Order No
42.91" x 20.87" x 59.65"	39.37" x 16.93"	HCT410



Carton cart

Name	Description	Size W x D x H	Order No
1. Caster Set	Caster set for carton cart. The caster set gives you a cart from the SPM shelf.	46.45" x 23.62" x 16.73"	SPMCS-41
2. Shelf for packing material	23.62" deep shelf for many purposes. The shelf can also be equipped with PDH600 dividers. Max load 132 lbs.	18.39" x 23.62" x 1.25"	SPM500-49
		28.23" x 23.62" x 1.25"	SPM750-49
		34.25" x 23.62" x 1.25"	SPM900-49
		45.94" x 23.62" x 1.25"	SPM1200-49
		57.76" x 23.62" x 1.25"	SPM1500-49
3. Divider set (4 pcs), SPM shelf	Divider set for the SPM shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.	69.80" x 23.62" x 1.25"	SPM1800-49
		.31" x 15.75" x 11.02"	PDH600-49



Scale cart

Holds scale equipment close to work space, and is easily moved as needed.

Size W x D x H inches	Order No
Scale cart 27.56"W x 19.69"D x 25.59"-35.43"H	SAP507
Scale display holder	SDH



Recycling material cart PRMT

The recycling carts are ideal for placing underneath or beside the packing bench. The bins are adjustable in angle for ease of use! The cart comes with four swivel casters, two with brakes. Available in single and double version.

Size W x D x H inches	Order No
24.61" x 13.78" x 19.49"	PRMT1
24.61" x 26.77" x 19.49"	PRMT2



Only a selection of our carts is presented in this brochure. Please visit www.treston.us for the full range.





Multi Cart with Accessories

Name	Description	Module	Size W x D x H	Order No
1. Multi Cart frame	Max load 661 lbs.	M30 M36	30.71" x 28.15" x 64.17" 36.81" x 28.15" x 64.17"	860156-41 860157-41
2. Shelf for packing material	23.62" deep shelf for many purposes. The shelf can also be equipped with PDH600 dividers. Max load 132 lbs.		28.23" x 23.62" x 1.25" 34.25" x 23.62" x 1.25"	SPM750-49 SPM900-49
3. Brackets for upright tube SPM	Mounting parts for top shelf to the upright tube. With the mounting kit, you attach the SPM shelf to the upright tube.			SPMBS-49
4. Divider set (4 pcs), SPM shelf	Divider set for the SPM shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.		.31" x 15.75" x 11.02"	PDH600-49
5. Bin rail	For auxiliary steel shelf, stacking and picking bins. Very sturdy. Max load 33 lbs.	M30 M36		US-859151-49 US-859152-49
6. Tablet bracket MY LDH bracket MH	Tablet bracket for 7-10" tablets The quick-release mechanism is equipped with the standard used flat-screen mount 3" x 3" and 4" x 4" for the mounting of all normal flat screens.			MY MH
Adapter set	Adapter set for attaching LCD bracket MH to the upright tubes.		7.87" x 4.33" x 2.36"	AS2
7. Auxiliary steel shelf	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin rail. Max load 6.6 lbs.		8.54" x 11.73" x .79"	ASSA4
8. Roll holder set	Roll holder set for packing material rolls. Max load 40 kg.	M30 M36		890547-49P 890548-49P
9. Fixed tape dispenser	Feeds tape from a roll; for a tape roll with a 3" socket. Includes screws to fix the dispenser to ASSA4. Max roll diameter 4.72" and width 2".			FTD50
10. Basic label dispenser	Feeds labels from a roll, space for several rolls. Fits on ASSA4 or can be placed on a shelf or tray. Can be attached with screws. Max roll diameter 8.66" and width 8.27".			BLD20
11. Document holder A4	Steel document holder attached to upright tube. Easily adjustable with double arm, Max load 11 lbs.			92849008P
12. Equipment tray	With double arm and handle. For small tools and packing accessories such as BLD20. Max load 33 lbs.		19.69" x 9.84" x 4.92"	92849001P

*Please visit our webpage for full range of module M30 and M36 accessories.



Treston packing benches

- ✓ Sturdy and stable
- ✓ Modular, enabling a multitude of configurations economically
- ✓ Generous surface area
- ✓ Widest range of accessories accommodating any combinations

Whether you have a small web shop or represent larger numbers of manufacturing, logistics centre or spare parts store, don't hesitate to contact Treston experts for service and speedy delivery.



TRESTON



10/2016. Copyright © 2016 Treston Oy. All rights reserved. Specifications are subject to change without prior notice.

Are you looking for an easy packing bench option or a packaging solution which can answer varying needs and is highly adjustable? Treston packing bench options can answer both these needs. **CONTACT US TODAY!**

USA HEADQUARTERS

Treston Inc • 156 Bluffs Court, Canton, GA 30114

Tel. 800.437.6772 • infousa@treston.com • treston.us