



# TARRISON

2019

[WWW.TARRISON.COM](http://WWW.TARRISON.COM)

ISSUE V.1

## SHELVING





# TARRISON PRODUCTS LTD.

Tarrison Products Ltd. brings over 30 years of commitment and passion to delivering quality service and product solutions. Tarrison Products Ltd. continues its dedication to providing top quality, customizable stainless steel products to a range of industries. Innovative solutions are applied to the entire process from design to delivery.

Streamlined production, Canadian and American distribution centers, and in-house customization capabilities provide speed and precision. Tarrison is your one-stop supplier for almost all back-of-house, front-of-house, and outdoor needs. Established and experienced in delivering durable products to meet all budgets and lead times.

Over the past 30 years Tarrison has expanded to include Tarrison Contract Furniture and Tarrison Outdoor.

As part of our continued commitment to improving the design experience and efficiency of the ordering process, we have developed Tarrison 360. This online platform optimizes and organizes the stainless steel product design process. Tarrison 360 allows users to set the dimensions of our stainless steel products, customize them, generate specifications and have technical design files available in minutes. Learn more about Tarrison 360.

**pg. 42**  
Shelves

**pg. 76**  
Accessories

**pg. 82**  
Specifications

# Shelves

## Wire Shelves

Tarrison has the strongest shelf in the industry – connected trusses, thicker support wires, more wire per square foot of shelf\*\*. A variety of sizes and finishes to choose from, plastic clips included.



Size D" x L"	PolySeal Model No.	Chrome Model No.	Stainless Steel Model No.	Value Epoxy* Model No.	Weight lbs.
12 x 24	S1224Z	S1224C	S1224S	S1224EB	5.0
14 x 24	S1424Z	S1424C	S1424S	S1424EB	6.0
14 x 30	S1430Z	S1430C	S1430S	S1430EB	7.0
14 x 36	S1436Z	S1436C	S1436S	S1436EB	8.0
14 x 42	S1442Z	S1442C	S1442S	S1442EB	9.5
14 x 48	S1448Z	S1448C	S1448S	S1448EB	10.5
14 x 54	S1454Z	S1454C	S1454S	S1454EB	12.0
14 x 60	S1460Z	S1460C	S1460S	S1460EB	14.0
14 x 66	S1466Z	S1466C	S1466S	S1466EB	15.5
14 x 72	S1472Z	S1472C	S1472S	S1472EB	17.0
18 x 18	S1818Z	S1818C	S1818S	S1818EB	6.0
18 x 24	S1824Z	S1824C	S1824S	S1824EB	7.0
18 x 30	S1830Z	S1830C	S1830S	S1830EB	8.0
18 x 36	S1836Z	S1836C	S1836S	S1836EB	9.5
18 x 42	S1842Z	S1842C	S1842S	S1842EB	11.0
18 x 48	S1848Z	S1848C	S1848S	S1848EB	12.0
18 x 54	S1854Z	S1854C	S1854S	S1854EB	14.5
18 x 60	S1860Z	S1860C	S1860S	S1860EB	17.0
18 x 66	S1866Z	S1866C	S1866S	S1866EB	18.5
18 x 72	S1872Z	S1872C	S1872S	S1872EB	20.0
21 x 18	S2118Z	S2118C	S2118S	S2118EB	8.0
21 x 24	S2124Z	S2124C	S2124S	S2124EB	8.0
21 x 30	S2130Z	S2130C	S2130S	S2130EB	9.0
21 x 36	S2136Z	S2136C	S2136S	S2136EB	11.0
21 x 42	S2142Z	S2142C	S2142S	S2142EB	12.0
21 x 48	S2148Z	S2148C	S2148S	S2148EB	14.0
21 x 54	S2154Z	S2154C	S2154S	S2154EB	16.0
21 x 60	S2160Z	S2160C	S2160S	S2160EB	18.0
21 x 66	S2166Z	S2166C	S2166S	S2166EB	20.0
21 x 72	S2172Z	S2172C	S2172S	S2172EB	22.0
24 x 24	S2424Z	S2424C	S2424S	S2424EB	9.0
24 x 30	S2430Z	S2430C	S2430S	S2430EB	11.0
24 x 36	S2436Z	S2436C	S2436S	S2436EB	13.0
24 x 42	S2442Z	S2442C	S2442S	S2442EB	15.0
24 x 48	S2448Z	S2448C	S2448S	S2448EB	16.0
24 x 54	S2454Z	S2454C	S2454S	S2454EB	19.0
24 x 60	S2460Z	S2460C	S2460S	S2460EB	21.0
24 x 66	S2466Z	S2466C	S2466S	S2466EB	23.5
24 x 72	S2472Z	S2472C	S2472S	S2472EB	26.0

\* Value Epoxy available in standard Black. \*\*With production starting May 2009; connected centre truss on applicable sizes only.

## Posts

Tarrison Posts are clearly numbered and come with adjustable leveling bolts and top post cap. One-inch round steel tubing. Posts are grooved on one inch increments for easy set-up.

**Note:** 6", 14", 28" and 34" posts are not numbered.



Size H"	PolySeal Model No.	Chrome Model No.	Stainless Steel	Value Epoxy* Model No.	Weight lbs.
6	P6Z	P6C	P6S	P6EB	.5
14	P14Z	P14C	P14S	P14EB	1.0
28	P28Z	P28C	P28S	P28EB	2.0
34	P34Z	P34C	P34S	P34EB	3.0
54	P54Z	P54C	P54S	P54EB	3.5
63	P63Z	P63C	P63S	P63EB	4.0
69	P69Z	P69C	P69S	P69EB	4.0
74	P74Z	P74C	P74S	P74EB	4.5
81	P81Z	P81C	P81S	P81EB	5.0
86	P86Z	P86C	P86S	P86EB	5.0
96	P96Z	P96C	P96S	P96EB	6.0

\*Value Epoxy posts not numbered, but are etched to facilitate set up. Available in standard black.



## Flex Mount Shelving


- Use Flex Mount shelves for intermediate storage requirements when shelf position will be adjusted on a regular basis
- Standard Wire Shelves must be used at top and bottom position to provide rigidity

Size D" x L"	PolySeal Model No.	Weight lbs.
18 x 30	SFM1830Z	8
18 x 36	SFM1836Z	9.5
18 x 48	SFM1848Z	12
18 x 60	SFM1860Z	17
24 x 36	SFM2436Z	13
24 x 42	SFM2442Z	15
24 x 48	SFM2448Z	16
24 x 54	SFM2454Z	19
24 x 60	SFM2460Z	21
Size D" x L"	Chrome Model No.	Weight lbs.
24 x 48	SFM2448C	16
24 x 60	SFM2460C	21
Size D" x L"	Zinc Model No.	Weight lbs.
24 x 36	SFM2436ZC	13

Additional sizes available. May require a minimum quantity ordered.  
Order posts separately

## Spacer Shelf

- The Spacer Shelf is used to maximize linear foot shelving and minimize wasted space
- 'Bridge the gap' between free standing units
- Fill in empty gaps under 6" with any one of three width spacer shelves – available in 18" and 24" depths




Each shelf comes complete with four each Add-on "S" Hooks (ADSH)


SPACER SHELF		
Size D" x L"	PolySeal Model No.	Weight lbs.
18 x 3	S183Z	3
18 x 4	S184Z	3
18 x 5	S185Z	3
24 x 3	S243Z	4
24 x 4	S244Z	4
24 x 5	S245Z	4

## Wide Span Shelf

- 30", 36" and 42" deep durable wire shelving is reinforced for extra strength with additional side-to-side welded trusses.
- Wide Span shelving offers convenient access from all sides



WIDE SPAN SHELF			
Size D" x L"	PolySeal Model No.	Chrome Model No.	Weight lbs.
30 x 30	S3030Z	S3030C	12
30 x 36	S3036Z	S3036C	16
30 x 42	S3042Z	S3042C	18
30 x 48	S3048Z	S3048C	20
30 x 54	S3054Z	S3054C	22
30 x 60	S3060Z	S3060C	24
30 x 72	S3072Z	S3072C	28
36 x 36	S3636Z	S3636C	18
36 x 48	S3648Z	S3648C	22
36 x 60	S3660Z	S3660C	28
36 x 72	S3672Z	S3672C	34
42 x 30	S4230Z		20
42 x 36	S4236Z		22
42 x 42	S4242Z		25
42 x 48	S4248Z		28
42 x 54	S4254Z		32




## 5-Sided Shelf

- Put unused corner space to work
- Shelf sizes correspond to width of shelving for add-on capability

Size D" x L"	PolySeal Model No.	Weight lbs.
18 x 36	S51836Z	12
21 x 36	S52136Z	14
24 x 42	S52442Z	18


See page 48 for Chrome. Order posts separately (5)



## Triangular Shelf

- Put unused corner space to work
- Shelf sizes match width of shelving for Add-Ons

Size D"	Chrome Model No.	Weight lbs.
18	ST18C	7
24	ST24C	10



## Quarter Round Shelf

- The ideal choice for product display showcases
- All the benefits of a triangular shelf, but with a roundtruss for increased display aesthetics

Size D"	Chrome Model No.	Weight lbs.
18	SQ18C	7.5
24	SQ24C	10.5



## Round Shelf

- Ideal for retail display
- Stainless steel insert available (not shown)

Size D" x H"	Model No.	Weight lbs.
24 x 4.5	SR24C - Shelf	5
23.5 x 3.5	INSR24S - Insert	5

Other sizes on request. Order posts separately (3)



## Solid Stainless Steel Shelf

- Heavy duty stainless steel construction
- Ideal as bottom shelf on your Tarrison Work Centre

Size D" x L"	Stainless Steel Model No.	Weight lbs.
18 x 36	S1836SS	16
18 x 48	S1848SS	24
18 x 60	S1860SS	26
24 x 36	S2436SS	31
24 x 42	S2442SS	36
24 x 48	S2448SS	41
24 x 60	S2460SS	48
30 x 36	S3036SS	40
30 x 48	S3048SS	54

Additional sizes available. May require a minimum quantity ordered.



## Super Duty Shelf

- Combines the functionality of traditional wire mat shelving with the superior strength of square tube dunnage shelving
- Ideal as bottom shelf for high volume, heavy load applications
- Square tube truss every six inches for maximum support
- Standard in sizes below, custom sizes available with minimum order requirement

Size D" x L"	PolySeal Model No.	Weight lbs.
24 x 48	SDF4-2448Z	30
24 x 60	SDF4-2460Z	38
24 x 72	SDF4-2472Z	42



## 3-Sided Frame

- See page 52

## Channel Dunnage Shelf

- Ideal for heavy-duty dunnage applications such as storing bagged and cased goods
- Shelf capacity up to 1,500 lbs.
- One inch square steel tubing shelf construction
- Dunnage Rack Centre Support available to add increased strength on longer lengths - see page 53
- Ideal as bottom shelf on shelving units

Size D" x L"	PolySeal Model No.	Weight lbs.	Size D" x L"	PolySeal Model No.	Chrome Model No.	Weight lbs.
14 x 36	DF41436Z	8	24" Poly Seal		24" Chrome	
14 x 48	DF41448Z	9				
18 x 24	DF41824Z	7	24 x 24	DF42424Z	DF42424C	8
18 x 30	DF41830Z	8	24 x 30	DF42430Z	DF42430C	10
18 x 36	DF41836Z	9	24 x 36	DF42436Z	DF42436C	12
18 x 42	DF41842Z	10	24 x 42	DF42442Z	DF42442C	14
18 x 48	DF41848Z	11	24 x 48	DF42448Z	DF42448C	16
18 x 54	DF41854Z	12	24 x 54	DF42454Z	DF42454C	18
18 x 60	DF41860Z	14	24 x 60	DF42460Z	DF42460C	20
18 x 66	DF41866Z	16	24 x 66	DF42466Z	DF42466C	22
18 x 72	DF41872Z	18	24 x 72	DF42472Z	DF42472C	24



Shown with optional Dunnage Shelf

## Dunnage Shelf Mat

- Removable optional mesh wire decking adds strength to your Dunnage Shelf
- Unique grid design allows for storage of smaller items

Size D" x L"	PolySeal Model No.	Weight lbs.	Size D" x L"	PolySeal Model No.	Weight lbs.
18 x 24	DWM1824Z	5	24 x 24	DWM2424Z	5
18 x 30	DWM1830Z	5	24 x 30	DWM2430Z	6
18 x 36	DWM1836Z	6	24 x 36	DWM2436Z	7
18 x 42	DWM1842Z	7	24 x 42	DWM2442Z	8
18 x 48	DWM1848Z	8	24 x 48	DWM2448Z	9
18 x 54	DWM1854Z	10	24 x 54	DWM2454Z	12
18 x 60	DWM1860Z	12	24 x 60	DWM2460Z	14
18 x 66	DWM1866Z	14	24 x 66	DWM2466Z	15
18 x 72	DWM1872Z	16	24 x 72	DWM2472Z	17



18486C

For assembly instructions, visit [www.tarrison.com](http://www.tarrison.com)

## Starter Unit

- Develop a storage system with a Tarrison Starter Unit
- Each Starter Unit consists of four numbered posts, four shelves and plastic clips
- Convert Starter Units to Mobile Truck Units by simply adding four polyurethane stem casters



18486C shown with optional casters



Threaded Stem Caster  
C5SPS



Threaded Stem Caster  
with Brake C5SPB



Non-Threaded Stem  
Caster C5STSP



Non-Threaded Stem Caster  
with Brake C5STSPB

## Stem Casters

- Polyurethane non-marking stem casters fit easily and securely into Tarrison posts to add mobility to stationary units
- Load rating 300 lbs. each

Size inches	Swivel Model No.	Swivel w/Brake Model No.
Threaded Stem Casters		
3	C3SPS	C3SPB
4	C4SPS	C4SPB
5	C5SPS	C5SPB
Non-Threaded Stem Casters		
5	C5STSP	C5STSPB

## Starter Unit

Size	63" High Unit		74" High Unit		86" High Unit		Weight
D" x L"	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	Ibs. 63"/74"/86"
14 x 24	14246Z	14246C	14247Z	14247C	14248Z	14248C	38/40/44
14 x 30	14306Z	14306C	14307Z	14307C	14308Z	14308C	42/44/48
14 x 36	14366Z	14366C	14367Z	14367C	14368Z	14368C	46/48/52
14 x 42	14426Z	14426C	14427Z	14427C	14428Z	14428C	52/54/58
14 x 48	14486Z	14486C	14487Z	14487C	14488Z	14488C	58/60/64
14 x 54	14546Z	14546C	14547Z	14547C	14548Z	14548C	62/64/68
14 x 60	14606Z	14606C	14607Z	14607C	14608Z	14608C	72/74/78
14 x 66	14666Z	14666C	14667Z	14667C	14668Z	14668C	82/84/88
14 x 72	14726Z	14726C	14727Z	14727C	14728Z	14728C	88/90/94
18 x 18	18186Z	18186C	18187Z	18187C	18188Z	18188C	40/42/46
18 x 24	18246Z	18246C	18247Z	18247C	18248Z	18248C	42/44/48
18 x 30	18306Z	18306C	18307Z	18307C	18308Z	18308C	46/48/52
18 x 36	18366Z	18366C	18367Z	18367C	18368Z	18368C	52/54/58
18 x 42	18426Z	18426C	18427Z	18427C	18428Z	18428C	58/60/64
18 x 48	18486Z	18486C	18487Z	18487C	18488Z	18488C	62/64/68
18 x 54	18546Z	18546C	18547Z	18547C	18548Z	18548C	72/74/78
18 x 60	18606Z	18606C	18607Z	18607C	18608Z	18608C	82/84/88
18 x 66	18666Z	18666C	18667Z	18667C	18668Z	18668C	88/90/94
18 x 72	18726Z	18726C	18727Z	18727C	18728Z	18728C	94/96/100
21 x 24	21246Z	21246C	21247Z	21247C	21248Z	21248C	46/48/52
21 x 30	21306Z	21306C	21307Z	21307C	21308Z	21308C	50/52/56
21 x 36	21366Z	21366C	21367Z	21367C	21368Z	21368C	58/60/64
21 x 42	21426Z	21426C	21427Z	21427C	21428Z	21428C	62/64/68
21 x 48	21486Z	21486C	21487Z	21487C	21488Z	21488C	70/72/76
21 x 54	21546Z	21546C	21547Z	21547C	21548Z	21548C	78/80/84
21 x 60	21606Z	21606C	21607Z	21607C	21608Z	21608C	86/88/92
21 x 66	21666Z	21666C	21667Z	21667C	21668Z	21668C	98/100/104
21 x 72	21726Z	21726C	21727Z	21727C	21728Z	21728C	110/112/116
24 x 24	24246Z	24246C	24247Z	24247C	24248Z	24248C	50/52/56
24 x 30	24306Z	24306C	24307Z	24307C	24308Z	24308C	58/60/64
24 x 36	24366Z	24366C	24367Z	24367C	24368Z	24368C	66/68/72
24 x 42	24426Z	24426C	24427Z	24427C	24428Z	24428C	74/76/80
24 x 48	24486Z	24486C	24487Z	24487C	24488Z	24488C	78/80/84
24 x 54	24546Z	24546C	24547Z	24547C	24548Z	24548C	90/92/96
24 x 60	24606Z	24606C	24607Z	24607C	24608Z	24608C	98/100/104
24 x 66	24666Z	24666C	24667Z	24667C	24668Z	24668C	108/118/124
24 x 72	24726Z	24726C	24727Z	24727C	24728Z	24728C	118/120/124

Order casters separately



- 1** Choose your size (including height)
- 2** Choose your finish
- 3** Add additional shelves on page 42 or Add-on units on page 49
- 4** Create a mobile unit with Stem Casters on page 46 or 80






## Corner Starter Unit

- Maximize your corner storage space with a Tarrison Corner Starter Unit
- Create more corner accessibility
- Each Corner Starter Unit consists of five posts, four 5-sided shelves and plastic clips
- Use Add-on Units on page 49 for additional storage



Size D" x L"	63" High Unit		74" High Unit		86" High Unit		Weight lbs.
	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	
18 x 36	518366Z	518366C	518367Z	518367C	518368Z	518368C	68
21 x 36	521366Z	521366C	521367Z	521367C	521368Z	521368C	79
24 x 42	524426Z	524426C	524427Z	524427C	524428Z	524428C	97

Order casters separately



## 5-Sided Shelf

Model No.	Dimensions (inches)				Weight lbs.
	A	B	C	D	
Chrome S51836C	18	36	24	38	12
Chrome S52136C	21	36	20	40	14
Chrome S52442C	24	42	24	46	18
PolySeal S51836Z	18	36	24	38	12
PolySeal S52136Z	21	36	20	40	14
PolySeal S52442Z	24	42	24	46	18


## Add-On Unit

- Increase storage space with an Add-on Unit
- Each Add-On Unit consists of two posts, four shelves and plastic clips and eight S-Hooks
- S-Hook eliminates the need to purchase two additional posts



**Add-on S-hook**  
Model No. ADSH

Use Add-on S-hooks instead of posts to grow your shelving unit. Use two hooks for each Add-on wire shelf and use three hooks for Wide Span shelving.



Size D" x L"	63" High Unit		74" High Unit		86" High Unit		Weight lbs. 63"/74"/86"
	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	
14 x 24	A14246Z	A14246C	A14247Z	A14247C	A14248Z	A14248C	31/35/39
14 x 30	A14306Z	A14306C	A14307Z	A14307C	A14308Z	A14308C	35/39/43
14 x 36	A14366Z	A14366C	A14367Z	A14367C	A14368Z	A14368C	39/43/49
14 x 42	A14426Z	A14426C	A14427Z	A14427C	A14428Z	A14428C	45/49/53
14 x 48	A14486Z	A14486C	A14487Z	A14487C	A14488Z	A14488C	53/55/59
14 x 54	A14546Z	A14546C	A14547Z	A14547C	A14548Z	A14548C	55/59/63
14 x 60	A14606Z	A14606C	A14607Z	A14607C	A14608Z	A14608C	65/69/73
14 x 66	A14666Z	A14666C	A14667Z	A14667C	A14668Z	A14668C	75/79/83
14 x 72	A14726Z	A14726C	A14727Z	A14727C	A14728Z	A14728C	81/85/89
18 x 18	A18186Z	A18186C	A18187Z	A18187C	A18188Z	A18188C	32/36/40
18 x 24	A18246Z	A18246C	A18247Z	A18247C	A18248Z	A18248C	35/39/43
18 x 30	A18306Z	A18306C	A18307Z	A18307C	A18308Z	A18308C	39/43/47
18 x 36	A18366Z	A18366C	A18367Z	A18367C	A18368Z	A18368C	45/49/53
18 x 42	A18426Z	A18426C	A18427Z	A18427C	A18428Z	A18428C	51/55/59
18 x 48	A18486Z	A18486C	A18487Z	A18487C	A18488Z	A18488C	55/59/63
18 x 54	A18546Z	A18546C	A18547Z	A18547C	A18548Z	A18548C	65/69/73
18 x 60	A18606Z	A18606C	A18607Z	A18607C	A18608Z	A18608C	75/79/83
18 x 66	A18666Z	A18666C	A18667Z	A18667C	A18668Z	A18668C	78/82/85
18 x 72	A18726Z	A18726C	A18727Z	A18727C	A18728Z	A18728C	81/85/87
21 x 24	A21246Z	A21246C	A21247Z	A21247C	A21248Z	A21248C	39/43/47
21 x 30	A21306Z	A21306C	A21307Z	A21307C	A21308Z	A21308C	43/47/51
21 x 36	A21366Z	A21366C	A21367Z	A21367C	A21368Z	A21368C	51/55/59
21 x 42	A21426Z	A21426C	A21427Z	A21427C	A21428Z	A21428C	55/59/63
21 x 48	A21486Z	A21486C	A21487Z	A21487C	A21488Z	A21488C	63/67/71
21 x 54	A21546Z	A21546C	A21547Z	A21547C	A21548Z	A21548C	71/75/79
21 x 60	A21606Z	A21606C	A21607Z	A21607C	A21608Z	A21608C	79/83/87
21 x 66	A21666Z	A21666C	A21667Z	A21667C	A21668Z	A21668C	91/95/99
21 x 72	A21726Z	A21726C	A21727Z	A21727C	A21728Z	A21728C	103/107/111
24 x 24	A24246Z	A24246C	A24247Z	A24247C	A24248Z	A24248C	43/47/51
24 x 30	A24306Z	A24306C	A24307Z	A24307C	A24308Z	A24308C	51/55/59
24 x 36	A24366Z	A24366C	A24367Z	A24367C	A24368Z	A24368C	59/63/67
24 x 42	A24426Z	A24426C	A24427Z	A24427C	A24428Z	A24428C	67/71/75
24 x 48	A24486Z	A24486C	A24487Z	A24487C	A24488Z	A24488C	71/75/79
24 x 54	A24546Z	A24546C	A24547Z	A24547C	A24548Z	A24548C	83/87/91
24 x 60	A24606Z	A24606C	A24607Z	A24607C	A24608Z	A24608C	91/95/99
24 x 66	A24666Z	A24666C	A24667Z	A24667C	A24668Z	A24668C	101/105/109
24 x 72	A24726Z	A24726C	A24727Z	A24727C	A24728Z	A24728C	111/115/119




## 5 Tier Starter Unit

- For additional storage capacity in standard shelving foot print sizes
- Each 5 Tier Starter consists of four numbered posts, five shelves and plastic clips
- Convert stationary Starter Units to mobile units by simply adding four polyurethane casters (threaded or non-threaded)



**Add-on S-hook**  
Model No. ADSH

Use Add-on S-hooks instead of posts to grow your shelving unit. Use two hooks for each Add-on wire shelf and use three hooks for Wide Span shelving.



Size	63" High Unit		74" High Unit		86" High Unit		Weight
D" x L"	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	lbs. 63"/74"/86"
14 x 36	14366Z5	14366C5	14367Z5	14367C5	14368Z5	14368C5	54/56/60
14 x 48	14486Z5	14486C5	14487Z5	14487C5	14488Z5	14488C5	68/70/74
14 x 60	14606Z5	14606C5	14607Z5	14607C5	14608Z5	14608C5	86/88/92
18 x 36	18366Z5	18366C5	18367Z5	18367C5	18368Z5	18368C5	62/64/68
18 x 48	18486Z5	18486C5	18487Z5	18487C5	18488Z5	18488C5	74/76/80
18 x 60	18606Z5	18606C5	18607Z5	18607C5	18608Z5	18608C5	99/101/105
21 x 36	21366Z5	21366C5	21367Z5	21367C5	21368Z5	21368C5	69/71/75
21 x 48	21486Z5	21486C5	21487Z5	21487C5	21488Z5	21488C5	84/86/90
21 x 60	21606Z5	21606C5	21607Z5	21607C5	21608Z5	21608C5	104/106/110
24 x 36	24366Z5	24366C5	24367Z5	24367C5	24368Z5	24368C5	79/81/85
24 x 48	24486Z5	24486C5	24487Z5	24487C5	24488Z5	24488C5	94/96/100
24 x 60	24606Z5	24606C5	24607Z5	24607C5	24608Z5	24608C5	119/121/125

Order casters separately



## Shelf Overlays/Inlays


- Use Overlays/Inlays where spillage is a concern
- Also used on bottom shelves to prevent dust flare up

Size D" x L"	Model No.	Model No.
18 x 36	OL1836S	SI1836
18 x 48	OL1848S	SI1848
18 x 60	OL1860S	SI1860
24 x 36	OL2436S	SI2436
24 x 48	OL2448S	SI2448
24 x 60	OL2460S	SI2460

Other sizes on request. Shelves sold separately.

## 4 Tier Starter Unit with Dunnage Base

- Integrate Dunnage Shelving to your storage solution for heavy loads
- Order with or without dunnage mat
- Each unit consists of four numbered posts, three standard wire shelves, one square tube dunnage shelf and plastic clips



Dunnage Shelf and Mat can be added to any unit see page 45 for more information



Size	63" High Unit		74" High Unit		Weight
D" x L"	PolySeal Model No.	Chrome Model No.	PolySeal Model No.	Chrome Model No.	lbs. 63"/74"
<b>4 Tier Starter Unit with Bottom Dunnage Shelf with Mat</b>					
14 x 36	14366ZDM	14366CDM	14367ZDM	14367CDM	50/52
14 x 48	14486ZDM	14486CDM	14487ZDM	14487CDM	62/64
14 x 60	14606ZDM	14606CDM	14607ZDM	14607CDM	76/78
18 x 36	18366ZDM	18366CDM	18367ZDM	18367CDM	57/60
18 x 48	18486ZDM	18486CDM	18487ZDM	18487CDM	67/70
18 x 60	18606ZDM	18606CDM	18607ZDM	18607CDM	87/90
21 x 36	21366ZDM	21366CDM	21367ZDM	21367CDM	64/66
21 x 48	21486ZDM	21486CDM	21487ZDM	21487CDM	76/78
21 x 60	21606ZDM	21606CDM	21607ZDM	21607CDM	92/94
24 x 36	24366ZDM	24366CDM	24367ZDM	24367CDM	74/76
24 x 48	24486ZDM	24486CDM	24487ZDM	24487CDM	86/88
24 x 60	24606ZDM	24606CDM	24607ZDM	24607CDM	106/108
<b>4 Tier Starter Unit with Bottom Dunnage Shelf without Mat</b>					
14 x 36	14366ZD	14366CD	14367ZD	14367CD	48/50
14 x 48	14486ZD	14486CD	14487ZD	14487CD	60/62
14 x 60	14606ZD	14606CD	14607ZD	14607CD	74/76
18 x 36	18366ZD	18366CD	18367ZD	18367CD	55/58
18 x 48	18486ZD	18486CD	18487ZD	18487CD	65/68
18 x 60	18606ZD	18606CD	18607ZD	18607CD	85/88
21 x 36	21366ZD	21366CD	21367ZD	21367CD	61/63
21 x 48	21486ZD	21486CD	21487ZD	21487CD	73/75
21 x 60	21606ZD	21606CD	21607ZD	21607CD	89/91
24 x 36	24366ZD	24366CD	24367ZD	24367CD	71/73
24 x 48	24486ZD	24486CD	24487ZD	24487CD	83/85
24 x 60	24606ZD	24606CD	24607ZD	24607CD	103/105

Order casters separately

## Shelf Ledge

- Ledges protect valuable inventory from falling off the edge of the shelf
- Snaps onto perimeter of shelf creating a 1" or 4" high retaining edge

Size W"	1" High Model No.	4" High Model No.
14	SL114C	SL414C
18	SL118C	SL418C
21	SL121C	SL421C
24	SL124C	SL424C
30	SL130C	SL430C
36	SL136C	SL436C
42	SL142C	SL442C
48	SL148C	SL448C
54	SL154C	SL454C
60	SL160C	SL460C
66	SL166C	SL466C
72	SL172C	SL472C

Order shelves separately



## Shelf Divider - 4" or 8"

- Keeps shelves organized and snaps in easily without the use of tools
- Attaches at any point along shelf

Size W" x H"	Chrome Model No.	Size W" x H"	Chrome Model No.
14 x 4	SD414C	14 x 8	SD814C
18 x 4	SD418C	18 x 8	SD818C
21 x 4	SD421C	21 x 8	SD821C
24 x 4	SD424C	24 x 8	SD824C


Order shelves separately



## Hanger Rail

- Hanger rail fits on posts along shelf width or length
- Optional hooks and other accessories can hang from rail at any point for instant access
- Ideal for use with a Tarrison Work Centre

Size W"	Model No.	Size W"	Model No.
14	HR14C	42	HR42C
18	HR18C	48	HR48C
21	HR21C	54	HR54C
24	HR24C	60	HR60C
30	HR30C	66	HR66C
36	HR36C	72	HR72C



## Three Side & Four Side Open Frames

- Used for additional support or to hang other accessories including Enclosure Panels

Three Side Model No.	Four Side Model No.	Size
HR3-1836C	HR4-1836C	18 x 36
HR3-1848C	HR4-1848C	18 x 48
HR3-1860C	HR4-1860C	18 x 60
HR3-2424C	HR4-2424C	24 x 24
HR3-2436C	HR4-2436C	24 x 36
HR3-2448C	HR4-2448C	24 x 48
HR3-2460C	HR4-2460C	24 x 60



## Tray Slide Inserts

- Ideal for use on shelving trucks, carts and Work Centres
- Valuable space savers, Tray Slide Inserts allow trays and tote pans to be suspended between shelves
- Full size slides fit between any 18" and 24" deep wire shelves when spaced 22" apart
- 1½" spacing between slides

Size W" x L"	Description	PolySeal Model No.	Wt. lbs.
18 x 18	18" x 18" Tray Slide	TS18Z	10
24 x 24	24" x 24" Tray Slide	TS24Z	12
18 x 18	18" x 18" SINGLE Tray Slide	STS18Z	2
24 x 24	24" x 24" SINGLE Tray Slide	STS24Z	2

## Rods and Clips

- Enclose back and/or sides of shelving easily with rods and clips
- Each rod includes four chrome finish clips that allow the rods to be attached at desired spaces
- Use Plastic Tabs to hold interior rods in place

Size L"	Description	Chrome Model No.	Wt. lbs.
52	Chrome rod fits 54" post	ROD52	1.0
61	Chrome rod fits 63" post	ROD61	1.5
72	Chrome rod fits 74" post	ROD72	2.0
84	Chrome rod fits 86" post	ROD84	2.5
	Plastic Tab	PTAB	
Additional clips are packaged by the dozen		RODCLIPS	1.0




## Enclosure Panel

- Panels enclose sides and backs to prevent product from falling off the shelving unit

Size W" x H"	Model No.
18 x 34	EP1834C
24 x 34	EP2434C
14 x 63	EP1463C
18 x 63	EP1863C
24 x 63	EP2463C
14 x 74	EP1474C
18 x 74	EP1874C
24 x 74	EP2474C






## Hooks

- Variety of multi-purpose snap-on "J" hooks hang easily on shelves, grid panels or hanger rails for fingertip access to items

Size H"	Model No.
3½" Small "J" Hook	SJH
3½" Large "J" Hook	LJH
3½" Double "J" Hook	DJH
3" Wire "S" Hook	WSH
Hooks sold individually	



## Add-on S-Hooks

- Use Add-on "S" hooks instead of posts
- Use two hooks for each add-on wire shelf
- Use in corners for "L-shaped" shelving unit, on the side for back-to-back units or on the ends for continuous runs of shelving

Size H"	Chrome Model No.
1"	ADSH
Hooks sold individually Shown on "L-shaped" Add-On Shelving Unit	



## Shelf Beam Support

- Add shelf beam supports to traditional wire shelves for heavy loads
- Two beams included in each kit complete with hardware

Size	Model No.
48" x 1"	SBS48ZC
54" x 1"	SBS54ZC
60" x 1"	SBS60ZC
66" x 1"	SBS66ZC
72" x 1"	SBS72ZC



## Shelf Clips and Grounding Chain

- Interlocking Plastic Shelf Clip has an interior mating rib to ensure positive shelf position
- Interior marking ensures installation is right side up making the process a snap
- Aluminum shelf clip is used when static electrical conductivity is required and used in conjunction with optional grounding chain; only one clip required per shelf
- Aluminum shelf clips also used in high heat applications



Size	Model No.
1" High Plastic Shelf Clip Package of 4	PSC
1" High Aluminum Shelf Clip - each	ASC
8" Long Grounding Chain	GC8



## Shelf Collar Hook

- Use collar hooks to convert straight shelves to slanted for easier visibility of goods
- Great for hanging tools and utensils from Tarrison Posts

Size	Chrome Model No.
½" Small Shelf Collar Hook	SCH1
1½" Large Shelf Collar Hook	SCH2



## Shelf Collar Plug

- For a finished high-tech look, cover the shelf collar with a chrome plug and eliminate dirt build-up
- Often used when using wall brackets or add-on clips


Chrome Model No.	SCP



## Plastic Post Cap

- Use on top of post for a finished look
- Plastic post cap comes standard with all Tarrison posts

Model No.	PPC



## Post Insert and Leveler

- Tarrison shelving units will never be uneven, even if the floors are
- Post inserts and levelers come standard with all Tarrison posts
- Replacement Levelers and Inserts may be ordered individually

Description	Model No.
Post Insert	POSTINSRT
Post Leveler	PL
Post Insert - 2.5"	PI212



## Non-Marking Post Leveler

- Sturdy post leveler that will not mark floor surfaces

Model No.	NMPL



## Post Joining Clamp

- Increase the stability of shelving units by joining two posts securely together with the Post Joining Clamp
- Recommended for use with Tarrison Space-Tite systems and when banking Work Centres together is required

Description	Model No.
Creates 1 1/16" space	SPC
Creates 2" space	LPC



## Foot Plate

- Increases stability and allows unit to be bolted to the floor for added safety
- Recommended for use with Tarrison Space-Tite systems and Work Centres

Model No.	FPFT



## Post Extension Bolt

- Securely joins two posts top to bottom to extend the shelving unit height

Model No.	PEB






## Utility Basket

- Transport documents and other items in the handy Utility Basket
- Basket slides easily over Tarrison shelving frames for a solid fit

Size L" x W" x H"	Chrome Model No.
12 x 10 x 4	UB



## Chrome Handles

- Designed for added ease of use and hand safety
- Allows the hands to be kept within the cart width

Size D"	Model No.	Price	Model No.	Weight lbs.
14	SPH14C	\$25	PH14C	2.0
18	SPH18C	\$27	PH18C	2.0
21	SPH21C	\$33	PH21C	2.5
24	SPH24C	\$39	PH24C	3.0



Threaded Stem Caster  
C5SPS



Threaded Stem Caster  
with Brake C5SPB



Non-Threaded Stem Caster  
C5STSP



Non-Threaded Stem Caster  
with Brake C5STSPB

## Stem Casters

- Polyurethane non-marking stem casters fit easily and securely into Tarrison posts to add mobility to stationary units
- Load rating 300 lbs. each

Size inches	Swivel Model No.	Swivel w/Brake Model No.
Threaded Stem Casters		
3	C3SPS	C3SPB
4	C4SPS	C4SPB
5	C5SPS	C5SPB
Non-Threaded Stem Casters		
5	C5STSP	C5STSPB



For use with Tie Bar  
Sold separately see page 62



## Rigid Casters

- Non-marking Polyurethane
- Rigid casters for use with Tie Bar - see page 62

Size inches	Model No.
5"	C5SPR



## Plate Casters

- Non-marking Polyurethane
- Plate casters for use with dolly bases see page 60

Size inches	Swivel Model No.	Price	Swivel w/Brake Model No.
5	C5PPS	\$50	C5PPSB
6	C6PPS	\$60	C6PPSB



Fits all stem style casters

## Donut Bumper

- Non-marking Polyurethane designed to protect walls

Size inches	Model No.
3½"	DB

## Label Holder

- Black plastic holder snaps easily on shelf edge
- Label shelves for quick product identification

Model No.	Size W"	For Shelf Length
CLH3B	3	All
CLH7B	7.25	All
CLH12B	12	All
CLH24B	19.25	24"
CLH36B	31.25	36"
CLH48B	43.25	48"
CLH60B	55.25	60"
CLH72B	67.25	72"

Label holders can be cut to other required sizes. Labels not included.



## Wood Top Joiner

- Attach wood tops to posts quickly and securely
- Handy joiner eliminates the need to cut into wood tops

Model No.
WTJ
Mounting screws must be purchased separately



## Post Wall Bracket

- Securely attaches post to wall


Model No.
PWB
Mounting screws must be purchased separately



## Bake Screen

- Stainless steel wire construction for high heat use
- Other sizes available on request

Size	Model No.
7"x10"	612SS
7"x10"	612SSTO



## Clothes Hanger

- Heavy-duty chrome finish wire loop hangers

Model No.
CHC12



## Pizza Pan Holder

- Pizza pans stack perfectly in this wire holder
- Just "toss'em" in for organized no-mess stacking

Size W"	Model No.
7	PPH7
10	PPH10
12	PPH12
Additional sizes available, may require minimum quantity ordered	




# Specifications

**Tarrison Products EXTENSIVE product line, commitment to INVENTORY and vast selection of finishes and sizes will meet your storage needs each and every time.**

Tarrison storage and handling equipment is uniquely designed to fit every storage application. The open wire truss-reinforced shelves permit light to penetrate, allow free air circulation and give greater visibility of merchandise. Moisture and dust accumulation is reduced and maximum effectiveness of sprinkler system is ensured. Assembly is simple. The heavy-duty tubular posts with rolled circular grooves at 1-inch increments are clearly numbered to make assembly exceptionally easy, fast and accurate. No tools are required for assembly or adjustment. The built-in tapered shelf collar mates perfectly with the inter-locking clip. The mating rib on the Tarrison clip ensures a positive shelf position on the grooved post. A perfect fit every time!

Our shelving systems come in a variety of finishes. Choose the one that is best for your application and budget.



## Stainless Steel

Type 304 series stainless steel. The definitive choice for any and every application.

## PolySeal

Clear epoxy powder coat electrostatically applied over bright zinc-chromate electroplating. The smart choice for any dry storage and high humidity application, such as refrigeration. Tarrison PolySeal finish gives you added protection for longer durability and corrosion resistance at the lowest cost.

**Limited 15-year corrosion warranty** - terms and conditions apply.

## Chrome

Bright nickel-chrome electro-plating. Best choice for dry storage and display applications. A brilliant finish for the high-tech look. Use where appearance is a major factor.

## Value Epoxy

Value epoxy is electrostatically applied. Three-year warranty from date of manufacture. Standard in black, available in any colour.

Tarrison Shelving has one of the highest load ratings on the market today. You asked for strong, heavy-duty shelving at an affordable price and Tarrison answered.

## Static Load Capacity Guideline

Up to 48" wide: 1000 lbs. per shelf  
Over 48" wide: 800 lbs. per shelf  
Dunnage Shelving: 1,500 lbs. per shelf

Static load capacity is based on even distribution and can be affected by other conditions based on application – the above ratings are a guideline.

## Warranty

Tarrison Products Ltd. warrants that all Tarrison products will be free from defects in material and manufacture at time of shipment. We guarantee to repair or replace any item, FOB Tarrison, that is found to be defective for up to one (1) year from date of shipment provided that it has been properly used.

Tarrison Products Ltd. will repair or replace any product that does not perform as represented herein with normal indoor usage. A Tarrison Representative will examine the installation and determine repair or return disposition. No returns may be made without prior written authorization. All returns must be made **freight prepaid** to Tarrison Products Ltd.

All Warranties are made for the benefit of the original owner under normal usage - original proof of purchase must be provided with warranty claim. There are no other warranties expressed or implied beyond those stated herein. Tarrison Products' liability is limited to the replacement of defective merchandise, FOB Tarrison, and Tarrison will not be responsible for any and all ancillary expenses that may arise. No employee or agent of Tarrison Products Ltd. has any authority to make any representation or warranty, which exceeds those stated above.

**Effective January 2008. Supersedes any previous warranty statements, call for complete details.**

Tarrison Products is not responsible for any errors or omissions. We reserve the right to change prices based on fluctuations in raw materials. Specifications subject to change without notice. 01/11





**www.TARRISON.com**  
**2019**

---

**CANADIAN HEAD OFFICE**  
2780 Coventry Road, Oakville,  
ON L6H 6R1  
CANADA

**US DISTRIBUTION CENTER**  
150 Gratiot Blvd. Marysville,  
MI 48040  
USA

---

**Tel. 905-825-9665**  
**info@tarrison.com**

